

COUNTY OF HUMBOLDT EXTRACTION REVIEW TEAM (CHERT)

2015 POST-EXTRACTION REPORT

DISCUSSION DRAFT

Prepared by:

Randy Klein, Doug Jager, Andre Lehre and Bill Trush
County of Humboldt Extraction Review Team (CHERT)

For the:

Humboldt County Board of Supervisors

February 10, 2016

This report is being issued as a Discussion Draft.

Comments can be submitted during the 60-day public review period of
May 1 through July 1, 2016
to the Director of Humboldt County Planning and Building Department.

Comments received will be summarized with responses in Final Draft
which will be available by August 1, 2016

TABLE OF CONTENTS

INTRODUCTION..... 2
 Humboldt County Instream Gravel Extraction Sites and Extraction Terminology..... 3
2015 EXTRACTION SUMMARIES..... 4
 River Reach Extraction Volumes..... 4
PERFORMANCE ISSUES: 2015..... 7
APPENDIX A: HISTORICAL EXTRACTION VOLUME SUMMARIES..... 9

INTRODUCTION

This report presents an overview of the Humboldt County gravel extraction for the 2015 mining season. Information on mining volumes, methods, and success of mine operators in meeting approved plans is reported herein. Representing Humboldt County, the County of Humboldt Extraction Review Team (CHERT) provided site-specific recommendations on extraction designs submitted by the operators and their consultants, as did agencies with regulatory and oversight responsibilities, including: 1) US Army Corps of Engineers (Corps), 2) National Marine Fisheries Service (NMFS), and 3) California Department of Fish and Wildlife (CDFW). Recommendations were based on field reviews at each site, aerial photos, and topographic and hydrologic information provided by the operators as required by the US Army Corps of Engineers 2015 Letter of Permission (LOP) and individual permits obtained by several operators. The 2015 LOP and associated documents are the primary federal instruments regulating gravel mining operations in Humboldt County.

The Humboldt County Board of Supervisors created CHERT in 1992 to provide scientific oversight on Mad River gravel extraction, which had arrived at an impasse over environmental concerns. Four CHERT members were appointed by the Board with expertise in hydrology, fluvial geomorphology, and river ecology; those same four members continue to serve through the present. In 1996, the scope of CHERT services was expanded to include most riverine extraction sites throughout Humboldt County. Additional details on CHERT's role have been presented in earlier post-extraction reports found, along with other County gravel mining documents, at: <http://humboldt.gov.org/252/Surface-Mining-Reclamation-Act-SMARA-Doc>

The annual review process consists of visiting sites in the spring with operators and agency staff to observe post-winter conditions, note undesirable effects from the previous season's extraction (if any), and discuss a possible mining plan for the upcoming extraction season. Later, operators submit air photos, topographic and hydrologic information, and a mining proposal, occasionally followed by a second field review. CHERT then issues a written recommendation, which may suggest changes to reflect either CHERT's or an agency's concerns. Once all parties accept a final iteration of the mining plan, and it is approved by the Corps and CDFW, mining can begin provided all other agency permits have been obtained. A field review may be done while mining is taking place due to unexpected circumstances that might require alteration to an approved plan. Post-extraction field reviews are conducted after mining is completed in late-summer or fall. Each operator then compiles a post-extraction data set, including pre and post-extraction topographic data, volume calculations, aerial photographs, and other pertinent data. These data are submitted to CHERT, CDFW, Corps, and NMFS.

CHERT develops recommendations based on two primary goals: 1) minimizing potential cumulative effects by ensuring that reach-scale mining volumes do not exceed sustainable levels, and 2) ensuring that site-specific methods of extraction (skimming, trenching, etc.) are appropriate for protecting local habitat. The concept of 'sustained yield' gravel extraction requires that gravel extraction volumes not exceed mean annual recruitment (an estimate of the long-term average annual supply of gravel to a specific reach of a river). Actual mined gravel volumes are typically well below mean annual recruitment. Site-specific measures are also recommended by CHERT to reduce both cumulative and localized potential mining effects on riparian and aquatic habitat. These may include, for example, ensuring that skim floor elevations are sufficiently high to maintain low flow channel confinement so that small rises in river stage do not inundate skim surfaces too readily.

With time, experience on the rivers, and interaction with regulatory agencies, mine operators, and other stakeholders, the measures taken to protect river habitat and to improve program functioning are continually being refined. This feedback process, termed 'adaptive management', helps ensure that gravel mining and management improves resource protection, the quality of information provided by mine operators, and program efficiency. Problems occasionally arise, however, when either the river's response to previous mining results in undesirable river habitat conditions, or an operator deviated from an approved mining plan.

In addition to recurring activities (e.g., mining site reviews, extraction recommendations, annual post-extraction report preparation), CHERT occasionally participates in other activities. For example, CHERT prepared a technical analysis of Mad River physical channel conditions, riparian vegetation, and fish habitat in 2009 to support physical

and biological assessments required for renewal of federal and state permits. Such analyses occur when requested by the County, the operators, or other stakeholders and with direction from the Humboldt County Board of Supervisors.

A relatively new gravel mine site was recently permitted by federal regulatory agencies and extracted gravel from the Mad River for the first time in 2011. The operator of this site, the Blue Lake Rancheria, was not required to obtain permits from the State of California or Humboldt County, and consequently, operates outside of the CHERT program. Their mining plans are reviewed by the US Army Corps of Engineers and National Marine Fisheries Service. They receive no CHERT review, nor do they provide mining information to CHERT, so this report contains no information from the Rancheria’s mining operations. Consequently, the volume of gravel mined from the Mad River since 2011 has been greater than that reported by CHERT.

Although Eel River cross sections (covering mining reaches in the Lower Eel and Van Duzen rivers, the Middle Reach Eel above Scotia, and the South Fork Eel) have been surveyed since about 1997 and have been used in the annual mining review process, a quantitative, longer-term cross section analysis had not been done until early 2009. As part of the renewal of federal and state permits, a multi-year analysis of cross sections was prepared by CHERT to support impact evaluation and refine protection/mitigation strategies. The Eel River cross section report also provides essential information for updating environmental documentation for Eel River gravel mining. As mentioned above, CHERT reports, including the Eel River cross section analysis, can be found at and downloaded from the Humboldt County Community Development Service’s website: <http://humboldt.gov/252/Surface-Mining-Reclamation-Act-SMARA-Doc>

Humboldt County Instream Gravel Extraction Sites and Extraction Terminology

Table 1 describes the geographic breakdown of Humboldt County mining reaches. CHERT classifies extraction techniques into twelve descriptive categories in Table 2.

Table 1 - Description of river reaches used to sort and report extraction data.

Approximate Length (miles)	River Reaches
7	Mad River: The Mad River Reach extends approximately seven miles downstream from the Blue Lake Fish Hatchery to just below the Highway 299 Bridge near Arcata.
6	Lower Eel River: The Lower Eel River Reach extends approximately six miles downstream from the mouth of the Van Duzen River to near Fernbridge.
5	Lower Van Duzen River: The Lower Van Duzen River Reach extends upstream approximately five miles from the mouth of the Van Duzen River.
26	Middle Reach of Eel River: The Middle Reach of the Eel River extends upstream from Scotia (River mile 20) for approximately 26 miles to River Mile 46.
17	South Fork Eel River: The South Fork Reach extends from Garberville (River mile 33) upstream to Cooks Valley near the Mendocino County line (River mile 50).
15	Trinity River Reach: The Trinity River Reach extends downstream about 15 miles from near Willow Creek into the Hoopa Valley.
	Isolated Sites: Five extraction sites are more or less isolated from the rest of project. These are the <i>Satterlee Bar</i> on the main stem of the Eel River at Fort Seward, the <i>PL Bar</i> on the Van Duzen River, the <i>Branstetter Bar</i> on Bear River, the <i>Charles Bar</i> on Larabee Creek, and the <i>Cook Bar</i> on the North Fork of the Mattole River.

Table 2. - CHERT extraction methodology terminology and descriptions.

Narrow Shoreline Skim	A skim with one edge close to the low flow channel at or above the 35% flow elevation with a width no greater than 1/3 that of the unvegetated bar surface.
Wide Shoreline Skim	Same as above but wider.
Narrow Offset Skim	A skim that has a substantial vertical or horizontal offset from the low flow channel and a width no greater than 1/3 that of the unvegetated bar surface.
Wide Offset Skim	Same as above, but wider. Some may refer to this as a 'horseshoe' skim.
Dry Trench	A relatively long, linear shallow skim that remains above the water table at the time of excavation.
Wet Trench	A trench sufficiently deep to intersect the water table at the time of excavation, designed for high water to flow through the trench.
Wet Alcove	An excavation designed to simulate naturally occurring shoreline pools, typically located at the downstream ends of naturally occurring scour channels on the backside of meanders, that can provide deep cool water during summer months and/or winter high velocity refuge.
Dry Alcove	Same as above, but to a depth above the water table at the time of excavation.
Fish Access Channel	A channel excavation that may include pools and incorporate large wood designed to temporarily improve fish migration access.
Wetland Pit	A strategically located and designed pit simulating a remnant channel feature, such as an oxbow pond (see Fig. 1); sometimes provided with a small outlet channel.
Terrace Skim	A free-draining skim located on a low terrace above typical high water.
Terrace Pit	A pit excavated on a low terrace with an outlet provided to allow water to freely enter and exit the pit with changes in river stage.

2015 EXTRACTION SUMMARIES

River Reach Extraction Volumes

In 2015, CHERT reviewed 34 extraction areas (some multiple times) distributed among 15 mining sites in Humboldt County (many sites had more than one extraction area). Appendix A provides historical gravel extraction volumes from the beginning of the CHERT program in 1992 (Mad River) and the expansion in 1997 (Eel River, Trinity River, and isolated sites added). As shown in Table 3, the total volume of gravel approved for extraction in 2015 was 400,919 cubic yards (cy). The total volume actually extracted was 272,240 cy, or about 68% of that approved for extraction. As mentioned above, any gravel extraction done by Blue Lake Rancheria from the Mad River is not included in this report.

Table 3. Humboldt County 2015 gravel extraction summary by river reach.

River Reach	No. of mined sites	No. of mined areas	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent of Approved Volume	Extracted Area (acres)
Lower Mad River	9	13	70,230	69,719	99%	19.0
Lower Eel River	2	11	168,581	94,954	56%	12.6
Middle Eel River	1	2	48,146	39,350	82%	5.0
Van Duzen River	2	7	85,978	53,088	62%	7.7
South Fork Eel River	1	1	20,610	15,129	73%	2.7
Trinity River	0	0	7,374	0	0%	0.0
Isolated Sites	0	0	0	0	n/a	0.0
Humboldt County Total =	15	34	400,919	272,240	68%	47.0

Tables 4-9 list site-specific 2015 extraction information for each extraction area grouped by river reach. Sites are listed from downstream to upstream in each table. There was no gravel extraction from the Trinity River or isolated sites in 2015.

Table 4. Mad River gravel extractions in the 2015 extraction season. The volumes listed in this table do not include any taken by the Blue Lake Rancheria.

Operator	Sites	Area No.	Method	Approved Volume (cu. yds.)	Extracted Volume (cu. yds.)	Percent of Approved Volume	Extracted Area (acres)
Eureka Ready Mix	O'Neill Bar	1	wide shoreline skim	4,437	3,890	88%	2.6
Miller Family Trust	Miller Bar	n/a	none proposed	n/a	n/a	n/a	n/a
Eureka Ready Mix	Johnson-Spini Bar	1	wide shoreline skim	15,104	15,188	101%	5.0
Eureka Ready Mix	Johnson-Spini Bar	2	alcove	4,276	4,921	115%	0.7
Mercer Fraser Co.	Essex Bar	1	wide shoreline skim	3,279	3,010	92%	0.6
Eureka Ready Mix	Leta-Johnson Bar	1	narrow shoreline skim	6,364	7,133	112%	1.7
Eureka Ready Mix	Christie Bar	1	narrow shoreline skim	4,547	5,036	111%	1.5
Eureka Ready Mix	Christie Bar	2	dry trench	1,131	1,144	101%	0.4
GLJ Construction	Blue Lake Bar	1	narrow offset skim	1,329	1,123	84%	0.6
GLJ Construction	Blue Lake Bar	2	alcove	7,436	6,571	88%	0.7
GLJ Construction	Blue Lake Bar	3	narrow shoreline skim	1,960	2,143	109%	0.8
Eureka Ready Mix	Emmerson Bar	1	narrow offset skim	6,567	5,845	89%	1.8
Mad River Sand and Gravel	Guynup Bar	1	alcove	9,993	9,658	97%	1.6
Mad River Sand and Gravel	Guynup Bar	2	narrow shoreline skim	3,807	4,057	107%	1.0
River Reach Totals =		13	---	70,230	69,719	99%	19.0

Table 5. Lower Eel River gravel extractions in the 2015 extraction season.

Operator	Site	Area No.	Method	Approved Volume (cu. yds.)	Extracted Volume (cu. yds.)	Percent of Approved Volume	Extracted Area (acres)
Eureka Ready Mix	Singley Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
County of Humboldt	Worswick Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Mallard Pond	Drake Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Mercer Fraser Co.	Sandy Prairie: Plant A	A1	wet trench	19,919	18,848	95%	1.7
Mercer Fraser Co.	Sandy Prairie: Plant A	A2	narrow shoreline skim	15,326	0	0%	0.0
Mercer Fraser Co.	Sandy Prairie: Plant A	A3	wet trench	31,260	30,479	98%	2.7
Mercer Fraser Co.	Sandy Prairie: Plant A	A4	narrow offset skim	1,089	0	0%	0.0
Mercer Fraser Co.	Sandy Prairie: Plant B	B1	narrow shoreline skim	10,593	9,184	87%	2.5
Mercer Fraser Co.	Sandy Prairie: Plant B	B2	wet trench	35,268	0	0%	0.0
Mercer Fraser Co.	Sandy Prairie: Plant B	B3	narrow shoreline skim	22,309	22,323	100%	3.7
Hansen Truck Shop	Hansen Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Eureka Ready Mix	Hauck Bar	1	wet trench	14,967	14,120	94%	2.0
Eureka Ready Mix	Hauck Bar	2	wet trench	3,513	0	0%	0.0
Eureka Ready Mix	Hauck Bar	3	wide offset skim	4,437	4,437	100%	0.7
Eureka Ready Mix	Hauck Bar	4	wet trench	9,900	10,314	104%	1.0
River Reach Totals =		11	---	168,581	94,954	56%	12.6

Table 6. Middle Eel River gravel extractions, 2015.

Operator	Site	Area No.	Method	Approved Volume (cu. yds.)	Extracted Volume (cu. yds.)	Percent of Approved Volume	Extracted Area (acres)
Humboldt Redwoods Co.	Scotia Dam Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Lower Truck Shop Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Upper Truck Shop Bar	1	wet trench	29,047	24,638	85%	2.1
Humboldt Redwoods Co.	Three Mile Bridge Bar	2	narrow shoreline skim	19,099	14,712	77%	2.9
Humboldt Redwoods Co.	Dinner Creek Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Elinor Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Larabee Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	South Fork Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Bowley Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Maynard Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Humboldt Redwoods Co.	Vroman Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
River Reach Totals =		2	---	48,146	39,350	82%	5.0

Table 7. Van Duzen River gravel extractions, 2015.

Operator	Site	Area No.	Method	Approved Volume (cu. yds.)	Extracted Volume (cu. yds.)	Percent of Approved Volume	Extracted Area (acres)
Leland Rock	A	1	wide offset skim	13,187	13,873	105%	2.4
Leland Rock	BC	2	wet trench	16,286	15,975	98%	1.3
Leland Rock	D	3	wet trench	5,674	6,118	108%	0.7
Leland Rock	E	4	wet trench	31,135	0	0%	0.0
Van Duzen River Ranch	n/a	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Tom Bess	East Site	1	narrow shoreline skim	4,630	3,472	75%	1.6
Tom Bess	West Site	2	narrow shoreline skim	3,682	3,356	91%	0.7
Tom Bess	West Site	3	wet trench	11,384	10,294	90%	1.0
River Reach Totals =		7	---	85,978	53,088	62%	7.7

Table 8. South Fork Eel River gravel extractions, 2015.

Operator	Site	Area No.	Method	Approved Volume (cu. yds.)	Extracted Volume (cu. yds.)	Percent of Approved Volume	Extracted Area (acres)
Wallan and Johnson	Wallan and Johnson Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Randall Sand and Gravel	Home Bar	1	wide shoreline skim	20,610	15,129	73%	2.7
Mercer Fraser Co.	Cooks Valley: MEN *	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Mercer Fraser Co.	Cooks Valley: HUM *	n/a	no extraction proposed	n/a	n/a	n/a	n/a
River Reach Totals =		1	---	20,610	15,129	73%	2.7
* "HUM" is in Humboldt County, "MEN" is in Mendocino County							

Table 9. Trinity River gravel extractions, 2015.

Operator	Sites	Area No.	Method	Approved Volume (cu. yds.)	Extracted Volume (cu. yds.)	Percent of Approved Volume	Extracted Area (acres)
Mercer Fraser Co.	Willow Creek Site	0	narrow shoreline skim	1,480	0	0%	0.0
Mercer Fraser Co.	Willow Creek Site	0	narrow shoreline skim	5,894	0	0%	0.0
Mercer Fraser Co.	McKnight Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
Klamath Trinity Aggregates	Rowland Bar	n/a	no extraction proposed	n/a	n/a	n/a	n/a
River Reach Totals =		2	---	7,374	0	0%	0.0

Humboldt County extraction volumes and surface areas by method for 2015 are shown in Table 10.

Table 10. Humboldt County gravel extraction volumes and areas by mining method, 2014.

Extraction Method	No. of Areas	Extracted Volume (cy)	Percent of Total Volume	Area (acres)	Percent of Total Area
alcove	3	21,150	7%	3.0	6%
dry trench	1	1,144	0%	0.4	1%
narrow offset skim	3	6,968	2%	2.4	5%
narrow shoreline skim	10	71,416	25%	16.4	34%
wet trench	11	130,786	46%	12.5	7%
wide offset skim	2	18,310	6%	3.1	7%
wide shoreline skim	4	37,217	13%	10.9	8%
Humboldt County Totals =	31	286,991	93%	48.7	61%

PERFORMANCE ISSUES: 2015

To evaluate operator performance and compliance, CHERT and regulatory agency staff conduct field reviews in the fall after completion of operations and reviews post-extraction documentation (cross sections, air photos, and other materials) to ensure approved mining plan design specifications were met. By and large, operator performance in conducting their 2015 operations consistent with approved mining plans was very successful. Although most extractions were below their approved volumes, several sites exceeded approved volumes, but only by minor amounts.

At several mined areas, the actual extraction volume was much less than that approved. This does not present a problem as long as the area is left in a condition that meets design objectives (the area will drain effectively after inundation by river flows and so does not have depressions that may trap fish).

Problems noted in 2015:

- A narrow shoreline skim (Area #3) at the Blue Lake Bar site, Mad River, appeared to have been over-extracted by digging too deep. The post-extraction cross section surveys confirmed this, but only showed the extraction to be one foot too deep at one cross section. Yet the extraction floor was mostly inundated and lower than the water level in the adjacent, flowing channel, a condition we hope to avoid. In retrospect, the problem may have stemmed from transferring the NMFS-required 35% flow elevation from a downstream measurement point. Additional markings of the 35% flow elevation near every potential extraction area are likely needed at this site to avoid such problems in the future.

- An alcove extraction (Area #2) at the Blue Lake Bar site, Mad River, appeared to have been over-extracted by digging too wide, and the cross section surveys confirmed this. The operator explained the he had thought that the top width of the approved designs was actually the bottom width, leading to the top being too wide. After clarification, the operator assured CHERT and other agencies that he would work more closely with his engineer to avoid such errors in the future.

APPENDIX A: HISTORICAL EXTRACTION VOLUME SUMMARIES

Humboldt County Totals ("---" means unknown)				Mad River ("---" means unknown)			
Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent	Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent
1992	---	---	---	1992	115,000	115,000	100%
1993	---	---	---	1993	122,100	138,400	113%
1994	---	---	---	1994	134,500	134,898	100%
1995	---	---	---	1995	210,637	226,265	107%
1996	---	---	---	1996	203,998	189,517	93%
1997	---	---	---	1997	252,926	210,976	83%
1998	1,075,095	820,952	76%	1998	265,795	223,352	84%
1999	1,142,212	860,974	75%	1999	196,212	174,974	89%
2000	987,848	706,234	71%	2000	204,748	146,534	72%
2001	979,515	494,819	51%	2001	199,215	167,719	84%
2002	1,023,866	748,461	73%	2002	204,991	171,937	84%
2003	881,090	581,800	66%	2003	150,390	136,790	91%
2004	692,020	440,710	64%	2004	156,540	141,250	90%
2005	664,565	493,240	74%	2005	138,475	127,200	92%
2006	700,660	561,845	80%	2006	174,245	162,360	93%
2007	784,108	612,132	78%	2007	165,504	153,341	93%
2008	659,022	534,821	81%	2008	142,043	130,613	92%
2009	454,213	211,207	46%	2009	0	0	n/a
2010	562,303	374,313	67%	2010	111,439	86,246	77%
2011	774,582	505,805	65%	2011	147,380	143,124	97%
2012	553,704	384,514	69%	2012	111,317	100,329	90%
2013	362,222	226,362	62%	2013	80,525	76,919	96%
2014	376,467	285,527	76%	2014	69,322	66,743	96%
2015	400,919	272,240	68%	2015	70,230	69,719	99%
Totals	13,074,411	9,115,956	70%	Totals	3,627,532	3,294,206	91%
Averages	745,500	520,219	70%	Averages	154,665	140,195	91%

APPENDIX A (continued)

Lower Eel River ("---" means unknown)				Middle Eel River ("---" means unknown)			
Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent	Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent
1992	---	---	---	1992	---	---	---
1993	---	---	---	1993	---	---	---
1994	---	---	---	1994	---	---	---
1995	---	---	---	1995	---	---	---
1996	---	---	---	1996	---	---	---
1997	561,700	326,500	58%	1997	147,300	84,900	58%
1998	399,100	273,000	68%	1998	157,900	99,400	63%
1999	471,400	290,500	62%	1999	134,900	124,900	93%
2000	291,300	208,600	72%	2000	160,100	131,000	82%
2001	389,900	119,300	31%	2001	116,100	64,000	55%
2002	387,300	220,000	57%	2002	132,767	121,608	92%
2003	318,300	163,900	51%	2003	74,030	54,060	73%
2004	188,840	120,305	64%	2004	0	0	n/a
2005	199,370	166,280	83%	2005	0	0	n/a
2006	235,495	208,240	88%	2006	0	0	n/a
2007	243,097	177,334	73%	2007	89,990	64,424	72%
2008	237,955	215,760	91%	2008	0	0	n/a
2009	229,386	106,467	46%	2009	0	0	n/a
2010	208,286	188,730	91%	2010	0	0	n/a
2011	301,537	214,730	71%	2011	76,715	35,618	46%
2012	226,520	188,994	83%	2012	29,569	25,880	88%
2013	176,477	80,918	46%	2013	0	0	n/a
2014	127,671	97,232	76%	2014	59,298	45,394	77%
2015	168,581	94,954	56%	2015	48,146	39,350	82%
Totals	5,362,215	3,461,744	65%	Totals	1,226,815	890,534	73%
Averages	288,535	187,044	65%	Averages	65,482	47,288	72%

APPENDIX A (continued)

South Fork Eel River ("---" means unknown)				Van Duzen River ("---" means unknown)			
Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent	Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent
1992	---	---	---	1992	---	---	---
1993	---	---	---	1993	---	---	---
1994	---	---	---	1994	---	---	---
1995	---	---	---	1995	---	---	---
1996	---	---	---	1996	---	---	---
1997	67,700	74,700	110%	1997	120,000	81,600	68%
1998	75,400	70,100	93%	1998	119,100	103,700	87%
1999	85,400	75,900	89%	1999	159,900	108,800	68%
2000	75,700	53,700	71%	2000	194,800	121,300	62%
2001	66,000	43,100	65%	2001	161,700	85,600	53%
2002	58,163	48,122	83%	2002	202,500	167,400	83%
2003	87,060	54,660	63%	2003	175,100	123,000	70%
2004	80,730	50,745	63%	2004	179,045	92,610	52%
2005	82,770	36,480	44%	2005	159,090	123,170	77%
2006	92,000	35,075	38%	2006	134,910	104,750	78%
2007	90,737	73,956	82%	2007	152,773	113,184	74%
2008	32,358	24,833	77%	2008	209,176	137,850	66%
2009	40,170	24,986	62%	2009	175,132	73,236	42%
2010	42,864	27,732	65%	2010	169,041	69,917	41%
2011	36,063	14,244	39%	2011	175,724	71,903	41%
2012	19,039	0	0%	2012	142,191	47,760	34%
2013	27,588	17,212	62%	2013	63,111	41,713	66%
2014	32,341	24,754	77%	2014	74,701	51,404	69%
2015	20,610	15,129	73%	2015	85,978	53,088	62%
Totals	1,112,693	765,428	69%	Totals	2,853,972	1,771,985	62%
Averages	60,671	41,683	69%	Averages	153,777	95,494	62%

APPENDIX A (continued)

Trinity River ("---" means unknown)				Isolated Sites ("---" means unknown)			
Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent	Year	Approved Volume (cubic yards)	Extracted Volume (cubic yards)	Percent
1992	---	---	---	1992	---	---	---
1993	---	---	---	1993	---	---	---
1994	---	---	---	1994	---	---	---
1995	---	---	---	1995	---	---	---
1996	---	---	---	1996	---	---	---
1997	47,500	40,000	84%	1997	---	---	---
1998	35,000	28,100	80%	1998	22,800	23,300	102%
1999	64,300	66,900	104%	1999	30,100	19,000	63%
2000	18,000	22,200	123%	2000	43,200	22,900	53%
2001	46,600	15,100	32%	2001	0	0	n/a
2002	38,145	19,394	51%	2002	0	0	n/a
2003	76,210	49,390	65%	2003	0	0	n/a
2004	62,075	32,700	53%	2004	24,790	3,100	13%
2005	64,100	30,570	48%	2005	20,760	9,540	46%
2006	64,010	51,420	80%	2006	0	0	n/a
2007	42,007	29,893	71%	2007	0	0	n/a
2008	12,490	11,701	94%	2008	25,000	14,064	56%
2009	0	0	n/a	2009	9,525	6,518	68%
2010	30,673	1,688	6%	2010	0	0	n/a
2011	37,163	26,186	70%	2011	0	0	n/a
2012	25,068	21,551	86%	2012	0	0	n/a
2013	5,521	723	13%	2013	0	0	n/a
2014	13,134	0	0%	2014	0	0	n/a
2015	7,374	0	0%	2015	0	0	0%
Totals	689,370	447,516	65%	Totals	176,175	98,422	56%
Averages	37,889	24,862	66%	Averages	10,363	5,790	56%